

boltex mfg., co.



Price Schedule 0526rev1

Effective Date: May 21, 2026

Forged Flanges Carbon Steel

**Phone: 713-675-9433 Fax: 713-672-6527
Houston, TX**

<http://www.boltex.com>

boltex mfg., co.

General Notes

Prices: F.O.B. Boltex - Houston, Texas.
Subject to change without notice.
Items without prices listed are P.O.A.

Payment terms: Net 30 days from invoice date.

Specifications: The prices in this schedule apply to forged carbon steel flanges to ASTM A105, ASME SA105, NACE MR0175, ASME B16.5 and MSS SP 44.

Packing: All shipments are packaged in accordance with good commercial practice at no charge.

Other Terms: The "General Terms and Conditions" on inside of this price schedule apply to all orders.

Other Specifications: A350 LF2 and A694 High Yield

CLASS 150

NOM. SIZE	WELDING NECK - WITH 1/16" RAISED FACE (1)						SLIP ON(1)
	XH & STD	SCH 20	SCH 40	SCH 60	SCH 80	SCH 100 THRU XX	1/16" RAISED FACE
1/2"	258	-	-	-	-	400	180
3/4"	258	-	-	-	-	400	180
1"	258	-	-	-	-	400	180
1 1/4"	270	-	-	-	-	-	189
1 1/2"	258	-	-	-	-	400	180
2"	244	-	-	-	-	400	162
2 1/2"	265	-	-	-	-	-	284
3"	287	-	-	-	-	500	219
4"	346	-	-	-	-	951	272
5"	552	-	-	-	-	-	492
6"	525	-	-	-	-	1891	453
8"	928	POA	-	POA	POA	POA	681
10"	1490	POA	POA	POA	POA	POA	1177
12"	2163	POA	POA	POA	POA	POA	1745
14"	2910	-	POA	POA	POA	-	2164
16"	3984	POA	POA	POA	POA	-	3095
18"	POA	POA	POA	POA	POA	-	POA
20"	POA	POA	POA	POA	POA	-	POA
24"	POA	POA	POA	POA	POA	-	POA

NOM. SIZE	BLIND (1)	THREADED		SOCKET WELD (2)		LAP JNT(4)	REDUCING		
	1/16" RAISED FACE	1/16" RAISED FACE	FLAT FACE	STD & XH 1/16" RF	S160 & XXH 1/16" RF	FLAT FACE	O.D. (3)	1/16 RAISED FACE	
							(IN)	SLIP-ON	THRD.
1/2"	217	270	339	237	320	189	3 1/2	-	-
3/4"	217	270	339	237	320	189	3 7/8	581	758
1"	217	270	339	237	320	189	4 1/4	581	758
1 1/4"	235	292	357	258	348	204	4 5/8	-	-
1 1/2"	217	270	339	237	320	189	5	581	758
2"	194	244	407	214	382	172	6	581	758
2 1/2"	315	401	429	378	561	272	7	811	890
3"	246	300	488	266	507	234	7 1/2	615	804
4"	345	350	540	350	636	287	9	659	852
5"	455	733	842	-	-	450	10	-	-
6"	525	820	894	760	1030	480	11	1790	1945
8"	863	1385	1741	1103	2028	696	13 1/2	2250	3403
10"	1660	2519	-	-	-	1190	16	-	-
12"	2502	3531	-	-	-	2211	19	-	-
14"	3991	-	-	-	-	3043	21	-	-
16"	5339	-	-	-	-	4695	23 1/2	-	-
18"	POA	-	-	-	-	POA	25	-	-
20"	POA	-	-	-	-	POA	27 1/2	-	-
24"	POA	-	-	-	-	POA	32	-	-

(1) Prices apply to Flat Face Flanges also.

(2) ASME B16.5 Includes sizes through 3" only.

(3) The outside diameter determines the price of a reducing flange.

(4) Hub Height same as Slip On Dimensions. ASA dimension Lap Joints P.O.A.

All material ASTM A105 Forged Carbon Steel.

Standard gasket face finish of 125-250 AARH.

CLASS 300

NOM. SIZE	WELDING NECK - WITH 1/16" RAISED FACE (1)						SLIP ON(1)
	XH & STD	SCH 20	SCH 40	SCH 60	SCH 80	SCH 100 THRU XX	1/16" RAISED FACE
1/2"	318	-	-	-	-	454	241
3/4"	318	-	-	-	-	454	241
1"	318	-	-	-	-	454	241
1 1/4"	339	-	-	-	-	611	259
1 1/2"	318	-	-	-	-	454	241
2"	320	-	-	-	-	471	257
2 1/2"	365	-	-	-	-	-	289
3"	365	-	-	-	-	607	318
4"	600	-	-	-	-	983	455
5"	934	-	-	-	-	-	769
6"	936	-	-	-	-	2020	804
8"	1612	POA	-	-	-	POA	1347
10"	2919	POA	-	-	POA	POA	2293
12"	3745	POA	POA	-	POA	POA	2822
14"	7057	POA	POA	POA	POA	-	5125
16"	POA	POA	POA	POA	POA	-	POA
18"	POA	POA	POA	POA	POA	-	POA
20"	POA	POA	POA	POA	POA	-	POA
24"	POA	POA	POA	POA	POA	-	POA

NOM. SIZE	BLIND	BLIND	SOCKET WELD (2)		THRD		LAP JNT	REDUCING		
	1/16" RAISED FACE	FLAT FACE	1/16" RF STD & XH	1/16" RF S160 & XXH	1/16" RAISED FACE	FLAT FACE	FLAT FACE	O.D. (3) (IN)	1/16" RAISED FACE	
									SLIP-ON	THRD.
1/2"	282	320	300	350	300	329	262	3 3/4	-	-
3/4"	282	320	300	350	300	329	262	4 5/8	-	-
1"	282	320	300	350	300	329	262	4 7/8	1043	1163
1 1/4"	298	348	320	-	320	352	-	5 1/4	-	-
1 1/2"	282	320	300	384	300	329	262	6 1/8	1043	1163
2"	253	289	237	442	285	313	205	6 1/2	1043	1163
2 1/2"	453	492	-	-	525	578	387	7 1/2	-	-
3"	361	409	365	-	420	462	305	8 1/4	1439	1725
4"	553	613	596	-	600	662	410	10	2148	2486
5"	1001	1113	-	-	-	-	-	11	-	-
6"	1001	1204	-	-	1496	1646	1109	12 1/2	-	-
8"	1552	1947	-	-	-	-	1857	15	-	-
10"	3091	3660	-	-	-	-	-	17 1/2	-	-
12"	4469	5244	-	-	-	-	-	20 1/2	-	-
14"	8033	-	-	-	-	-	-	23	-	-
16"	POA	-	-	-	-	-	-	25 1/2	-	-
18"	POA	-	-	-	-	-	-	28	-	-
20"	POA	-	-	-	-	-	-	30 1/2	-	-
24"	POA	-	-	-	-	-	-	36	-	-

- (1) Prices apply to Flat Face Flanges also.
 - (2) ASME B16.5 Includes sizes through 3" only.
 - (3) The outside diameter determines the price of a reducing flange.
- All material ASTM A105 Forged Carbon Steel.
Standard gasket face finish of 125-250 AARH.

CLASS 600

NOM. SIZE	WELDING NECK - WITH 1/4" RAISED FACE					
	XH & STD	SCH 20	SCH 40	SCH 60	SCH 80	SCH 100 THRU XX
1/2"	383	-	-	-	-	611
3/4"	383	-	-	-	-	611
1"	383	-	-	-	-	611
1 1/4"	406	-	-	-	-	651
1 1/2"	383	-	-	-	-	611
2"	356	-	-	-	-	778
2 1/2"	486	-	-	-	-	778
3"	514	-	-	-	-	1103
4"	915	-	-	-	-	1999
5"	-	-	-	-	-	-
6"	1805	-	-	-	-	2281
8"	3468	POA	-	POA	-	5764
10"	4856	POA	-	POA	POA	7471
12"	8533	POA	POA	POA	POA	POA
14"	POA	POA	POA	POA	POA	POA
16"	POA	POA	POA	POA	POA	POA
18"	POA	POA	POA	POA	POA	POA
20"	POA	POA	POA	POA	POA	POA
24"	POA	POA	POA	POA	POA	POA

NOM. SIZE	SLIP ON	BLIND	THRD	SOCKET WELD (2)		LAP JNT
	1/4" RAISED FACE	1/4" RAISED FACE	1/4" RAISED FACE	1/4" RAISED FACE		FLAT FACE
				STD & XH	S160 & XXH	
1/2"	354	381	681	546	681	611
3/4"	354	381	681	546	681	611
1"	354	381	681	546	681	611
1 1/4"	384	397	732	659	761	651
1 1/2"	354	381	681	546	681	611
2"	462	381	743	546	681	611
2 1/2"	650	535	-	-	-	-
3"	698	535	1028	-	-	811
4"	1378	947	1495	-	-	-
5"	-	-	-	-	-	-
6"	3136	2345	-	-	-	-
8"	4170	3649	-	-	-	-
10"	9216	5504	-	-	-	-
12"	14246	9328	-	-	-	-
14"	-	POA	-	-	-	-
16"	-	POA	-	-	-	-
18"	-	POA	-	-	-	-
20"	-	POA	-	-	-	-
24"	-	POA	-	-	-	-

All material ASTM A105 Forged Carbon Steel.
 Standard Gasket face finish of 125-250 AARH.

CLASS 600

NOM. SIZE	WELDING NECK - WITH OCTAGONAL RING TYPE JOINT					
	XH & STD	SCH 20	SCH 40	SCH 60	SCH 80	SCH 100 THRU XX
½"	501	-	-	-	-	745
¾"	501	-	-	-	-	745
1"	501	-	-	-	-	745
1 ¼"	541	-	-	-	-	801
1 ½"	501	-	-	-	-	745
2"	440	-	-	-	-	859
2 ½"	537	-	-	-	-	-
3"	558	-	-	-	-	1147
4"	1031	-	-	-	-	1994
5"	-	-	-	-	-	-
6"	1919	-	-	-	-	2476
8"	3947	POA	-	POA	-	6401
10"	5324	POA	-	POA	POA	7712
12"	9236	POA	POA	POA	POA	POA
14"	POA	POA	POA	POA	POA	POA
16"	POA	POA	POA	POA	POA	POA
18"	POA	POA	POA	POA	POA	POA
20"	POA	POA	POA	POA	POA	POA
24"	POA	POA	POA	POA	POA	POA

NOM. SIZE	SLIP ON RTJ	BLIND RTJ	THRD RTJ	SOCKET WELD RTJ (1)
½"	508	538	777	680
¾"	508	538	777	680
1"	508	538	777	680
1 ¼"	-	-	-	-
1 ½"	508	538	777	680
2"	553	440	848	680
2 ½"	-	703	-	-
3"	885	530	1163	-
4"	2118	1394	2419	-
5"	-	-	-	-
6"	4507	2496	-	-
8"	-	4150	-	-
10"	-	5397	-	-
12"	-	9455	-	-
14"	-	POA	-	-
16"	-	POA	-	-
18"	-	POA	-	-
20"	-	POA	-	-
24"	-	POA	-	-

(1) Prices apply to flanges with Standard & XH Bores Only.
All material ASTM A105 Forged Carbon Steel.

CLASS 900

NOM. SIZE	WELDING NECK			SLIP ON		BLIND	
	¼" RAISED FACE		OCT RING TYPE JOINT	¼" RAISED FACE	OCT RTJ	¼" RAISED FACE	OCT RTJ
	STD & XH	OTHER BORES THRU XX					
½" ¾" 1" 1 ¼" 1 ½" 2" 2 ½"	<i>USE CLASS 1500 FOR THESE SIZES</i>						
3"	862	1148	1186	2231	2520	1123	1242
4"	1401	2239	2331	2957	3327	1866	1977
5"	-	-	-	-	-	-	-
6"	2395	3195	3775	-	-	3077	3444
8"	4458	5945	6531	-	-	4827	5260
10"	POA	POA	POA	-	-	POA	POA
12"	POA	POA	POA	-	-	POA	POA
14"	POA	POA	POA	-	-	-	-
16"	POA	POA	POA	-	-	-	-
18"	POA	POA	POA	-	-	-	-
20"	POA	POA	POA	-	-	-	-
24"	POA	POA	POA	-	-	-	-

All material ASTM A105 Forged Carbon Steel

Standard gasket face finish of 125-250 AARH on Raised Face & Flat Face Flanges.

CLASS 1500

NOM. SIZE	WELDING NECK			SLIP ON	BLIND		SOCKET WELD		THRD
	¼" RAISED FACE		OCT RING TYPE JOINT	¼" RAISED FACE	¼" RAISED FACE	OCT RTJ	¼" RAISED FACE		¼" RAISED FACE
	STD & XH	OTHER BORES THRU XXH					STD & XH	S160 & XXH	
½"	742	954	1004	1219	1153	1396	1347	1898	1389
¾"	742	954	1004	1219	1153	1396	1347	1898	1389
1"	742	954	1004	1219	1153	1396	1347	1898	1389
1 ¼"	-	-	-	-	-	-	-	-	-
1 ½"	742	954	1004	1219	1153	1396	1347	1898	1389
2"	609	781	822	1329	945	1142	1468	2069	1514
2 ½"	1531	1531	1673	-	2500	2659	-	-	-
3"	1506	1506	1608	-	1626	1760	-	-	-
4"	2716	2716	2892	-	2380	2587	-	-	-
5"	5269	5269	5766	-	-	-	-	-	-
6"	4267	4267	4775	-	4079	4575	-	-	-
8"	POA	POA	POA	-	POA	POA	-	-	-
10"	POA	POA	POA	-	-	-	-	-	-
12"	POA	POA	POA	-	-	-	-	-	-
14"	POA	POA	POA	-	-	-	-	-	-
16"	POA	POA	POA	-	-	-	-	-	-
18"	-	-	-	-	-	-	-	-	-
20"	-	-	-	-	-	-	-	-	-
24"	-	-	-	-	-	-	-	-	-

CLASS 2500

NOM. SIZE	WELDING NECK		BLIND	
	ALL BORES THRU XXH			
	¼" RAISED FACE	OCT RTJ	¼" RAISED FACE	OCT RTJ
½"	2051	2278	2051	2278
¾"	2051	2278	2051	2278
1"	2051	2278	2051	2278
1 ¼"	-	-	-	-
1 ½"	2051	2278	2051	2278
2"	2051	2278	2051	2278
2 ½"	-	-	-	-
3"	3621	3944	3754	4329
4"	5480	6052	-	-

All material ASTM A105 Forged Carbon Steel.

Standard gasket face finish of 125-250 AARH on Raised Face & Flat Face Flanges.

WARRANTY

All Boltex Mfg. products are warranted to be free from manufacturing defects for a period of one (1) year from date of shipment, and any found to be defective within that period will be replaced without charge provided (1) that the product was used as recommended and in accordance with approved Installation and operating practices, (2) that its failure resulted from a manufacturing defect and not from damage due to corrosive, abrasive, or other wear normally to be expected in the services involved and (3) that written notice of such defect is delivered to Boltex Mfg. during such one (1) year period. No labor cost or other expense or liability will be assumed.

The Uniform Commercial Code shall not apply to this sale, nor the Texas statutes adopting the Uniform Commercial Code.

This express warranty is in lieu of and excludes all other warranties, guarantees, or representations, express or implied. There are no implied warranties of merchantability or of fitness for a particular purpose.

PURCHASER'S REMEDIES

The Purchaser remedies with respect to any product furnished by Boltex Mfg. thereunder that is found not to be in conformity with the terms and conditions of the contract because of breach of contract, breach of express or implied warranty, or negligence shall be limited exclusively to the right of replacement of such defective product or, at our option, repayment of our sale price of the product. **In no event shall Boltex Mfg. be liable for claims (based upon breach of contract, breach of express or implied warranty, or negligence) for any other damages, whether direct, immediate, foreseeable, consequential, special or for any expenses incurred by reason of the use or misuse, sale or fabrication of products which do or do not conform to the terms and conditions of the contract.**

PRICES

Prices and other terms of sale and payment are subject to change without notice. Unless a contrary provision appears in this price schedule, quotation or order acknowledgment. Prices may be withdrawn without notice at any time. **Stenographic or clerical errors are subject to correction.**

ACCEPTANCE OR ORDERS

All orders are subject to Boltex Mfg. credit department approval prior to acceptance by Boltex Mfg. No assignment of the Purchaser's rights may be made without the written consent of Boltex Mfg.

REMITTANCES

All accounts are payable in the United States funds, free of exchange, collection, or any other charges. If in the sole discretion of Boltex Mfg., the financial condition of the Purchaser at any time so requires, Boltex Mfg. retains the right to require full or partial payment in advance.

TAXES

Unless otherwise specifically noted the amount of any sales, use occupancy, excise tax, or other tax, of any nature, federal, state or local for which Boltex Mfg. is legally liable, either initially or through failure of payment by Purchaser, shall be added or invoiced in addition to the price quoted and the Purchaser agrees to pay the same to Boltex Mfg.

SHORTAGES AND DAMAGES IN TRANSIT

Claims for shortages must be made in writing within ten (10) days after receipt of shipment, but loss of or damage to materials in transit is the responsibility of the carrier.

DELAYS

All promises of shipment are estimated as closely as possible, we will use our best efforts to ship the time promises but do not guarantee to do so and assume no liability for not doing so. Materials stated to be in stock are subject to prior sale.

CANCELLATION AND SUSPENSION

The order or contract is subject to cancellation or instructions to suspend or delay work or delivery only upon receipt of written notification and with our consent and upon agreement to pay Boltex Mfg. adjustment charge. Order for special products (usually "price application" items) may be changed or canceled only upon written instructions with a tacit understanding and agreement to make payment for material used and work already performed.

RETURN OF MATERIAL

No product of our manufacture may be returned without written consent. All goods are subject to a handling charge, freight in both directions and charges for any required reconditioning unless otherwise specified in writing by Boltex Mfg.

PATENTS

The Purchaser will indemnify and hold harmless Boltex Mfg. against and from judgment for damages and costs which may be rendered against Boltex Mfg. in any suit alleging infringement of any United States patent by any product supplied by Boltex Mfg. under the contract made in accordance with the design and or specification furnished by the Purchaser to Boltex Mfg.

GOVERNING LAW

The contract shall be governed by, construed and enforced in accordance with the laws of the State of Texas.

NO WAIVER

The failure of Boltex Mfg. to insist in any one or more instances upon the performance of any of the terms, covenants, conditions of the contract or to exercise any right thereunder shall not be construed as a waiver or relinquishment of the future performance of any such term, covenant or condition or the future exercise of such rights, nor shall it be deemed to be a waiver or relinquishment of any other term, covenant, condition or exercise of any other rights under the contract.

GENERAL TERMS AND CONDITIONS OF SALES (cont.)**FORCE MAJEURE**

Any delays in or failure of performance of Boltex Mfg. shall not constitute default or give rise to any claims for damage of and to the extent that such a delay or failure is caused by occurrences beyond the control of Boltex Mfg. including, but not limited to acts of God or the public enemy: expropriation or confiscation of facilities; compliance with any order or request of any governmental authority; acts of war, rebellion or sabotage or damage resulting therefrom or other export restrictions, fires, flood, explosions, accidents, breakdowns; riots or strikes or other concerted acts of workmen, whether direct or indirect; or in any other causes whether or not of the same class or kind as those specifically named above which are not within the control of Boltex Mfg. and which by the exercise of reasonable diligence, Boltex Mfg. is unable to prevent or provide against.

PURCHASER'S ACCEPTANCE OF ABOVE CONDITIONS

The contract shall be subject to the terms and conditions contained or referred to in Boltex Mfg.'s Price Schedule, quotation or order acknowledgment and to no others whatsoever. No waiver, alteration or modification of the terms and conditions in this price schedule, quotation or order acknowledgment shall be binding unless in writing and signed by an authorized representative of Boltex Mfg.

boltex mfg. co.

**4901 Oates Road
Houston, Texas 77013**

**Phone 713-675-9433
Sales Fax 713-672-6527**

**Manufacturers of Quality Forged Products
<http://www.boltex.com>**