

boltex mfg., co.



Price Schedule 1026

Effective Date: October 21, 2026

Forged Flanges Carbon Steel

**Phone: 713-675-9433 Fax: 713-672-6527
Houston, TX**

<http://www.boltex.com>



General Notes

Prices: F.O.B. Boltex - Houston, Texas.
Subject to change without notice.
Items without prices listed are P.O.A.

Payment terms: Net 30 days from invoice date.

Specifications: The prices in this schedule apply to forged carbon steel flanges to ASTM A105, ASME SA105, NACE MR0175, ASME B16.5 and MSS SP 44.

Packing: All shipments are packaged in accordance with good commercial practice at no charge.

Other Terms: The "General Terms and Conditions" on inside of this price schedule apply to all orders.

Other Specifications: A350 LF2 and A694 High Yield

CLASS 150

NOM. SIZE	WELDING NECK - WITH 1/16" RAISED FACE (1)						SLIP ON(1)
	XH & STD	SCH 20	SCH 40	SCH 60	SCH 80	SCH 100 THRU XX	1/16" RAISED FACE
½"	294	-	-	-	-	456	205
¾"	294	-	-	-	-	456	205
1"	294	-	-	-	-	456	205
1 ¼"	308	-	-	-	-	-	215
1 ½"	294	-	-	-	-	456	205
2"	278	-	-	-	-	456	185
2 ½"	302	-	-	-	-	-	324
3"	327	-	-	-	-	570	250
4"	394	-	-	-	-	1084	310
5"	629	-	-	-	-	-	561
6"	599	-	-	-	-	2156	516
8"	1058	POA	-	POA	POA	POA	776
10"	1699	POA	POA	POA	POA	POA	1342
12"	2466	POA	POA	POA	POA	POA	1989
14"	POA	-	POA	POA	POA	-	POA
16"	POA	POA	POA	POA	POA	-	POA
18"	POA	POA	POA	POA	POA	-	POA
20"	POA	POA	POA	POA	POA	-	POA
24"	POA	POA	POA	POA	POA	-	POA

NOM. SIZE	BLIND (1)	THREADED		SOCKET WELD (2)		LAP JNT(4)	REDUCING		
	1/16"	1/16"						1/16	
	RAISED	RAISED	FLAT	STD & XH	S160 & XXH	FLAT	O.D. (3)	RAISED FACE	
	FACE	FACE	FACE	1/16" RF	1/16" RF	FACE	(IN)	SLIP- ON	THRD.
½"	247	308	386	270	365	215	3 1/2	-	-
¾"	247	308	386	270	365	215	3 7/8	662	864
1"	247	308	386	270	365	215	4 1/4	662	864
1 ¼"	268	333	407	294	397	233	4 5/8	-	-
1 ½"	247	308	386	270	365	215	5	662	864
2"	221	278	464	244	435	196	6	662	864
2 ½"	359	457	489	431	640	310	7	925	1015
3"	280	342	556	303	578	267	7 1/2	701	917
4"	393	399	616	399	725	327	9	751	971
5"	519	836	960	-	-	513	10	-	-
6"	599	935	1019	866	1174	547	11	2041	2217
8"	984	1579	1985	1257	2312	793	13 1/2	2565	3879
10"	1892	2872	-	-	-	1357	16	-	-
12"	2852	4025	-	-	-	2521	19	-	-
14"	POA	-	-	-	-	POA	21	-	-
16"	POA	-	-	-	-	POA	23 1/2	-	-
18"	POA	-	-	-	-	POA	25	-	-
20"	POA	-	-	-	-	POA	27 1/2	-	-
24"	POA	-	-	-	-	POA	32	-	-

(1) Prices apply to Flat Face Flanges also.

(2) ASME B16.5 Includes sizes through 3" only.

(3) The outside diameter determines the price of a reducing flange.

(4) Hub Height same as Slip On Dimensions. ASA dimension Lap Joints P.O.A.

All material ASTM A105 Forged Carbon Steel.

Standard gasket face finish of 125-250 AARH.

CLASS 300

NOM. SIZE	WELDING NECK - WITH 1/16" RAISED FACE (1)						SLIP ON(1)
	XH & STD	SCH 20	SCH 40	SCH 60	SCH 80	SCH 100 THRU XX	1/16" RAISED FACE
½"	363	-	-	-	-	518	275
¾"	363	-	-	-	-	518	275
1"	363	-	-	-	-	518	275
1 ¼"	386	-	-	-	-	697	295
1 ½"	363	-	-	-	-	518	275
2"	365	-	-	-	-	537	293
2 ½"	416	-	-	-	-	-	329
3"	416	-	-	-	-	692	363
4"	684	-	-	-	-	1121	519
5"	1065	-	-	-	-	-	877
6"	1067	-	-	-	-	2303	917
8"	1838	POA	-	-	-	POA	1536
10"	3328	POA	-	-	POA	POA	2614
12"	4269	POA	POA	-	POA	POA	3217
14"	POA	POA	POA	POA	POA	-	POA
16"	POA	POA	POA	POA	POA	-	POA
18"	POA	POA	POA	POA	POA	-	POA
20"	POA	POA	POA	POA	POA	-	POA
24"	POA	POA	POA	POA	POA	-	POA

NOM. SIZE	BLIND	BLIND	SOCKET WELD (2)		THRD		LAP JNT	REDUCING		
	1/16"		1/16" RF	1/16" RF	1/16"			1/16"		
	RAISED	FLAT	STD &	S160 &	RAISED	FLAT	FLAT	O.D. (3)	RAISED FACE	
	FACE	FACE	XH	XXH	FACE	FACE	FACE	(IN)	SLIP- ON	THRD.
½"	321	365	342	399	342	375	299	3 3/4	-	-
¾"	321	365	342	399	342	375	299	4 5/8	-	-
1"	321	365	342	399	342	375	299	4 7/8	1189	1326
1 ¼"	340	397	365	-	365	401	-	5 1/4	-	-
1 ½"	321	365	342	438	342	375	299	6 1/8	1189	1326
2"	288	329	270	504	325	357	234	6 1/2	1189	1326
2 ½"	516	561	-	-	599	659	441	7 1/2	-	-
3"	412	466	416	-	479	527	348	8 1/4	1640	1967
4"	630	699	679	-	684	755	467	10	2449	2834
5"	1141	1269	-	-	-	-	-	11	-	-
6"	1141	1373	-	-	1705	1876	1264	12 1/2	-	-
8"	1769	2220	-	-	-	-	2117	15	-	-
10"	3524	4172	-	-	-	-	-	17 1/2	-	-
12"	5095	5978	-	-	-	-	-	20 1/2	-	-
14"	POA	-	-	-	-	-	-	23	-	-
16"	POA	-	-	-	-	-	-	25 1/2	-	-
18"	POA	-	-	-	-	-	-	28	-	-
20"	POA	-	-	-	-	-	-	30 1/2	-	-
24"	POA	-	-	-	-	-	-	36	-	-

(1) Prices apply to Flat Face Flanges also.

(2) ASME B16.5 Includes sizes through 3" only.

(3) The outside diameter determines the price of a reducing flange.

All material ASTM A105 Forged Carbon Steel.

Standard gasket face finish of 125-250 AARH.

CLASS 600

NOM. SIZE	WELDING NECK - WITH 1/4" RAISED FACE					
	XH & STD	SCH 20	SCH 40	SCH 60	SCH 80	SCH 100 THRU XX
1/2"	437	-	-	-	-	697
3/4"	437	-	-	-	-	697
1"	437	-	-	-	-	697
1 1/4"	463	-	-	-	-	742
1 1/2"	437	-	-	-	-	697
2"	406	-	-	-	-	887
2 1/2"	554	-	-	-	-	887
3"	586	-	-	-	-	1257
4"	1043	-	-	-	-	2279
5"	-	-	-	-	-	-
6"	2058	-	-	-	-	2600
8"	3954	POA	-	POA	-	6571
10"	5536	POA	-	POA	POA	8517
12"	9728	POA	POA	POA	POA	POA
14"	POA	POA	POA	POA	POA	POA
16"	POA	POA	POA	POA	POA	POA
18"	POA	POA	POA	POA	POA	POA
20"	POA	POA	POA	POA	POA	POA
24"	POA	POA	POA	POA	POA	POA

NOM. SIZE	SLIP ON	BLIND	THRD	SOCKET WELD (2)		LAP JNT
	1/4"	1/4"	1/4"	1/4" RAISED FACE		FLAT FACE
	RAISED FACE	RAISED FACE	RAISED FACE	STD & XH	S160 & XXH	
1/2"	404	434	776	622	776	697
3/4"	404	434	776	622	776	697
1"	404	434	776	622	776	697
1 1/4"	438	453	834	751	868	742
1 1/2"	404	434	776	622	776	697
2"	527	434	847	622	776	697
2 1/2"	741	610	-	-	-	-
3"	796	610	1172	-	-	925
4"	1571	1080	1704	-	-	-
5"	-	-	-	-	-	-
6"	3575	2673	-	-	-	-
8"	4754	4160	-	-	-	-
10"	10506	6275	-	-	-	-
12"	16240	10634	-	-	-	-
14"	-	POA	-	-	-	-
16"	-	POA	-	-	-	-
18"	-	POA	-	-	-	-
20"	-	POA	-	-	-	-
24"	-	POA	-	-	-	-

All material ASTM A105 Forged Carbon Steel.
Standard Gasket face finish of 125-250 AARH.

CLASS 600

NOM. SIZE	WELDING NECK - WITH OCTAGONAL RING TYPE JOINT					
	XH & STD	SCH 20	SCH 40	SCH 60	SCH 80	SCH 100 THRU XX
½"	571	-	-	-	-	849
¾"	571	-	-	-	-	849
1"	571	-	-	-	-	849
1 ¼"	617	-	-	-	-	913
1 ½"	571	-	-	-	-	849
2"	502	-	-	-	-	979
2 ½"	612	-	-	-	-	-
3"	636	-	-	-	-	1308
4"	1175	-	-	-	-	2273
5"	-	-	-	-	-	-
6"	2188	-	-	-	-	2823
8"	4500	POA	-	POA	-	7297
10"	6069	POA	-	POA	POA	8792
12"	10529	POA	POA	POA	POA	POA
14"	POA	POA	POA	POA	POA	POA
16"	POA	POA	POA	POA	POA	POA
18"	POA	POA	POA	POA	POA	POA
20"	POA	POA	POA	POA	POA	POA
24"	POA	POA	POA	POA	POA	POA

NOM. SIZE	SLIP ON RTJ	BLIND RTJ	THRD RTJ	SOCKET WELD RTJ (1)
½"	579	613	886	775
¾"	579	613	886	775
1"	579	613	886	775
1 ¼"	-	-	-	-
1 ½"	579	613	886	775
2"	630	502	967	775
2 ½"	-	801	-	-
3"	1009	604	1326	-
4"	2415	1589	2758	-
5"	-	-	-	-
6"	5138	2845	-	-
8"	-	4731	-	-
10"	-	6153	-	-
12"	-	10779	-	-
14"	-	POA	-	-
16"	-	POA	-	-
18"	-	POA	-	-
20"	-	POA	-	-
24"	-	POA	-	-

(1) Prices apply to flanges with Standard & XH Bores Only.

All material ASTM A105 Forged Carbon Steel.

CLASS 900

NOM. SIZE	WELDING NECK			SLIP ON		BLIND	
	¼" RAISED FACE		OCT RING TYPE JOINT	¼" RAISED FACE	OCT RTJ	¼" RAISED FACE	OCT RTJ
	STD & XH	OTHER BORES THRU XX					
½" ¾" 1" 1 ¼" 1 ½" 2" 2 ½"	USE CLASS 1500 FOR THESE SIZES						
3"	983	1309	1352	2543	2873	1280	1416
4"	1597	2552	2657	3371	3793	2127	2254
5"	-	-	-	-	-	-	-
6"	2730	3642	4304	-	-	3508	3926
8"	5082	6777	7445	-	-	5503	5996
10"	POA	POA	POA	-	-	POA	POA
12"	POA	POA	POA	-	-	POA	POA
14"	POA	POA	POA	-	-	-	-
16"	POA	POA	POA	-	-	-	-
18"	POA	POA	POA	-	-	-	-
20"	POA	POA	POA	-	-	-	-
24"	POA	POA	POA	-	-	-	-

All material ASTM A105 Forged Carbon Steel

Standard gasket face finish of 125-250 AARH on Raised Face & Flat Face Flanges.

CLASS 1500

NOM. SIZE	WELDING NECK			SLIP ON	BLIND		SOCKET WELD		THRD
	¼" RAISED FACE		OCT RING TYPE JOINT	¼" RAISED FACE	¼" RAISED FACE	OCT RTJ	¼" RAISED FACE		¼" RAISED FACE
	STD & XH	OTHER BORES THRU XXH					STD & XH	S160 & XXH	
½"	846	1088	1145	1390	1314	1591	1536	2164	1583
¾"	846	1088	1145	1390	1314	1591	1536	2164	1583
1"	846	1088	1145	1390	1314	1591	1536	2164	1583
1 ¼"	-	-	-	-	-	-	-	-	-
1 ½"	846	1088	1145	1390	1314	1591	1536	2164	1583
2"	694	890	937	1515	1077	1302	1674	2359	1726
2 ½"	1745	1745	1907	-	2850	3031	-	-	-
3"	1717	1717	1833	-	1854	2006	-	-	-
4"	3096	3096	3297	-	2713	2949	-	-	-
5"	6007	6007	6573	-	-	-	-	-	-
6"	4864	4864	5444	-	4650	5216	-	-	-
8"	POA	POA	POA	-	POA	POA	-	-	-
10"	POA	POA	POA	-	-	-	-	-	-
12"	POA	POA	POA	-	-	-	-	-	-
14"	POA	POA	POA	-	-	-	-	-	-
16"	POA	POA	POA	-	-	-	-	-	-
18"	-	-	-	-	-	-	-	-	-
20"	-	-	-	-	-	-	-	-	-
24"	-	-	-	-	-	-	-	-	-

CLASS 2500

NOM. SIZE	WELDING NECK		BLIND	
	ALL BORES THRU XXH			
	1/4" RAISED FACE	OCT RTJ	1/4" RAISED FACE	OCT RTJ
1/2"	2338	2597	2338	2597
3/4"	2338	2597	2338	2597
1"	2338	2597	2338	2597
1 1/4"	-	-	-	-
1 1/2"	2338	2597	2338	2597
2"	2338	2597	2338	2597
2 1/2"	-	-	-	-
3"	4128	4496	4280	4935
4"	6247	6899	-	-

All material ASTM A105 Forged Carbon Steel.

Standard gasket face finish of 125-250 AARH on Raised Face & Flat Face Flanges.

WARRANTY

All Boltex Mfg. products are warranted to be free from manufacturing defects for a period of one (1) year from date of shipment, and any found to be defective within that period will be replaced without charge provided (1) that the product was used as recommended and in accordance with approved Installation and operating practices, (2) that its failure resulted from a manufacturing defect and not from damage due to corrosive, abrasive, or other wear normally to be expected in the services involved and (3) that written notice of such defect is delivered to Boltex Mfg. during such one (1) year period. No labor cost or other expense or liability will be assumed.

The Uniform Commercial Code shall not apply to this sale, nor the Texas statutes adopting the Uniform Commercial Code.

This express warranty is in lieu of and excludes all other warranties, guarantees, or representations, express or implied. There are no implied warranties of merchantability or of fitness for a particular purpose.

PURCHASER'S REMEDIES

The Purchaser remedies with respect to any product furnished by Boltex Mfg. thereunder that is found not to be in conformity with the terms and conditions of the contract because of breach of contract, breach of express or implied warranty, or negligence shall be limited exclusively to the right of replacement of such defective product or, at our option, repayment of our sale price of the product. **In no event shall Boltex Mfg. be liable for claims (based upon breach of contract, breach of express or implied warranty, or negligence) for any other damages, whether direct, immediate, foreseeable, consequential, special or for any expenses incurred by reason of the use or misuse, sale or fabrication of products which do or do not conform to the terms and conditions of the contract.**

PRICES

Prices and other terms of sale and payment are subject to change without notice. Unless a contrary provision appears in this price schedule, quotation or order acknowledgment. Prices may be withdrawn without notice at any time. **Stenographic or clerical errors are subject to correction.**

ACCEPTANCE OR ORDERS

All orders are subject to Boltex Mfg. credit department approval prior to acceptance by Boltex Mfg. No assignment of the Purchaser's rights may be made without the written consent of Boltex Mfg.

REMITTANCES

All accounts are payable in the United States funds, free of exchange, collection, or any other charges. If in the sole discretion of Boltex Mfg., the financial condition of the Purchaser at any time so requires, Boltex Mfg. retains the right to require full or partial payment in advance.

TAXES

Unless otherwise specifically noted the amount of any sales, use occupancy, excise tax, or other tax, of any nature, federal, state or local for which Boltex Mfg. is legally liable, either initially or through failure of payment by Purchaser, shall be added or invoiced in addition to the price quoted and the Purchaser agrees to pay the same to Boltex Mfg.

SHORTAGES AND DAMAGES IN TRANSIT

Claims for shortages must be made in writing within ten (10) days after receipt of shipment, but loss of or damage to materials in transit is the responsibility of the carrier.

DELAYS

All promises of shipment are estimated as closely as possible, we will use our best efforts to ship the time promises but do not guarantee to do so and assume no liability for not doing so. Materials stated to be in stock are subject to prior sale.

CANCELLATION AND SUSPENSION

The order or contract is subject to cancellation or instructions to suspend or delay work or delivery only upon receipt of written notification and with our consent and upon agreement to pay Boltex Mfg. adjustment charge. Order for special products (usually "price application" items) may be changed or canceled only upon written instructions with a tacit understanding and agreement to make payment for material used and work already performed.

RETURN OF MATERIAL

No product of our manufacture may be returned without written consent. All goods are subject to a handling charge, freight in both directions and charges for any required reconditioning unless otherwise specified in writing by Boltex Mfg.

PATENTS

The Purchaser will indemnify and hold harmless Boltex Mfg. against and from judgment for damages and costs which may be rendered against Boltex Mfg. in any suit alleging infringement of any United States patent by any product supplied by Boltex Mfg. under the contract made in accordance with the design and or specification furnished by the Purchaser to Boltex Mfg.

GOVERNING LAW

The contract shall be governed by, constructed and enforced in accordance with the laws of the State of Texas.

NO WAIVER

The failure of Boltex Mfg. to insist in any one or more instances upon the performance of any of the terms, covenants, conditions of the contract or to exercise any right thereunder shall not be construed as a waiver or relinquishment of the future performance of any such term, covenant or condition or the future exercise of such rights, nor shall it be deemed to be a waiver or relinquishment of any other term, covenant, condition or exercise of any other rights under the contract.

GENERAL TERMS AND CONDITIONS OF SALES (cont.)**FORCE MAJEURE**

Any delays in or failure of performance of Boltex Mfg. shall not constitute default or give rise to any claims for damage of and to the extent that such a delay or failure is caused by occurrences beyond the control of Boltex Mfg. including, but not limited to acts of God or the public enemy: expropriation or confiscation of facilities; compliance with any order or request of any governmental authority; acts of war, rebellion or sabotage or damage resulting therefrom or other export restrictions, fires, flood, explosions, accidents, breakdowns; riots or strikes or other concerted acts of workmen, whether direct or indirect; or in any other causes whether or not of the same class or kind as those specifically named above which are not within the control of Boltex Mfg. and which by the exercise of reasonable diligence, Boltex Mfg. is unable to prevent or provide against.

PURCHASER'S ACCEPTANCE OF ABOVE CONDITIONS

The contract shall be subject to the terms and conditions contained or referred to in Boltex Mfg.'s Price Schedule, quotation or order acknowledgment and to no others whatsoever. No waiver, alteration or modification of the terms and conditions in this price schedule, quotation or order acknowledgment shall be binding unless in writing and signed by an authorized representative of Boltex Mfg.

boltex mfg. co.

**4901 Oates Road
Houston, Texas 77013**

**Phone 713-675-9433
Sales Fax 713-672-6527**

**Manufacturers of Quality Forged Products
<http://www.boltex.com>**